

Serial No.: 09/919,918
Atty. Docket No.: P66732US0

IN THE CLAIMS:

Please amend and add the claims as set forth herein.

Listing of the Claims:

1. (Canceled)
2. (Currently Amended) A process for generating chlorous acid which comprises contacting a chlorite salt precursor with a cation exchange material in the hydrogen form in the absence of an anion exchange material in a moist environment ~~and outside an electric field~~ for a time sufficient to form chlorous acid.
3. (Original) The process as described in Claim 2 wherein said cation exchange material is mixed with an additive.
4. (Currently Amended) A process for generating chlorous acid which comprises contacting a chlorate salt precursor with a cation exchange material in the hydrogen form in the absence of an anion exchange material in a moist environment ~~and outside an electric field~~ for a time sufficient to form chlorous acid.

Serial No.: 09/919,918
Atty. Docket No.: P66732USO

5. (Original) The process as described in Claim 4 wherein said cation exchange material is mixed with an additive.

6. (Original) A process for generating chlorous acid which comprises contacting a chlorate salt precursor and an acid with an anion exchange material in a reducing ionic form in a moist environment for a time sufficient to form chlorous acid.

7. (Original) The process as described in Claim 6 wherein said anion exchange material is mixed with an additive.

8. (Original) A process for generating chlorous acid which comprises contacting an acid with an anion exchange material in the chlorate form in a moist environment for a time sufficient to form chlorous acid.

9. (Original) The process as described in Claim 8 wherein said anion exchange material is mixed with an additive.

10. (Currently Amended) A process for generating chlorous acid and chlorine dioxide which comprises contacting a

Serial No.: 09/919,918
Atty. Docket No.: P66732US0

chlorite salt precursor with a cation exchange material in the hydrogen form and a catalytic material in a moist environment ~~and outside an electric field~~ for a time sufficient to form chlorous acid and chlorine dioxide together.

11. (Original) The process as described in Claim 10 wherein said catalytic material is on said cation exchange material.

12. (Original) The process as described in Claim 10 wherein said catalytic material is an ion exchange material.

13. (Canceled)

14. (Canceled)

15. (Canceled)

16. (Original) A process for generating chlorous acid and chlorine dioxide which comprises contacting a chlorate salt precursor with a cation exchange material in the hydrogen form

Serial No.: 09/919,918
Atty. Docket No.: P66732US0

and a catalytic material in a moist environment for a time sufficient to form chlorous acid and chlorine dioxide together.

17. (Original) A process as described in Claim 16 wherein said catalytic material is on said cation exchange material.

18. (Original) A process as described in Claim 16 wherein said catalytic material is an ion exchange material.

19. (Original) A process for generating chlorous acid and chlorine dioxide which comprises contacting a chlorate salt precursor and an acid with a catalytic material in a moist environment for a time sufficient to form chlorous acid and chlorine dioxide together.

20. (Original) The process as described in Claim 19 wherein said catalytic material is on an ion exchange material.

21. (Original) The process as described in Claim 19 wherein said catalytic material is an ion exchange material.

Serial No.: 09/919,918
Atty. Docket No.: P66732USO

22. (Original) The process as described in Claim 19 wherein said catalytic material is an ion exchange material in a reducing ionic form.

23. (Original) A process for generating chlorous acid and chlorine dioxide which comprises contacting an acid with an anion exchange material in the chlorate form and one catalytic material in a moist environment for a time sufficient to form chlorous acid and chlorine dioxide together.

24. (Original) The process as described in Claim 23 wherein said catalytic material is on said anion exchange material.

25. (Original) A process as described in Claim 23 wherein said catalytic material is an ion exchange material.

26. (Original) The process as described in Claim 23 wherein said acid is a reducing agent.

27. (Original) The process as described in Claim 23 wherein said acid is mixed with a reducing agent.

Serial No.: 09/919,918
Atty. Docket No.: P66732US0

28. (Withdrawn) A process for purifying a chlorous acid solution which comprises contacting said chlorous acid solution with an ion exchange material in a moist environment for a time sufficient to remove unwanted ions from said chlorous acid solution.

29. (Withdrawn) The process as described in Claim 28 wherein said ion exchange material is mixed with an additive.

30. (Withdrawn) A process for purifying a chlorine dioxide solution which comprises contacting said chlorine dioxide solution with an ion exchange material in a moist environment for a time sufficient to remove unwanted ions from said chlorine dioxide solution.

31. (Withdrawn) The process as described in Claim 30 wherein said ion exchange material is mixed with an additive.

32. (Withdrawn) A process for substituting desirable ions for undesirable ions in a chlorous acid solution which comprises contacting said chlorous acid solution with an ion exchange material containing said desirable ions in a moist

Serial No.: 09/919,918
Atty. Docket No.: P66732US0

environment for a time sufficient to substitute said desirable ions for said undesirable ions in said chlorous acid solution.

33. (Withdrawn) The process as described in Claim 32 wherein said ion exchange material is mixed with an additive.

34. (Withdrawn) The process as described in Claim 32 wherein said desirable ion is a stabilizing ion.

35. (Withdrawn) A process for substituting desirable ions for undesirable ions in a chlorine dioxide solution which comprises contacting said chlorine dioxide solution with an ion exchange material containing said desirable ions in a moist environment for a time sufficient to substitute said desirable ions for said undesirable ions in said chlorine dioxide solution.

36. (Withdrawn) The process as described in Claim 35 wherein said ion exchange material is mixed with an additive.

37. (Withdrawn) The process as described in Claim 35 where said desirable ion is a stabilizing ion.

Serial No.: 09/919,918
Atty. Docket No.: P66732US0

38. (Withdrawn) A process for adjusting the pH of a chlorous acid solution which comprises contacting said chlorous acid solution with an ion exchange material in a moist environment for a time sufficient to adjust the pH of said chlorous acid solution.

39. (Withdrawn) The process as described in Claim 38 wherein said ion exchange material is mixed with an additive.

40. (Withdrawn) A process for adjusting the pH of a chlorine dioxide solution which comprises contacting said chlorine dioxide solution with an ion exchange material in a moist environment for a time sufficient to adjust the pH of said chlorine dioxide solution.

41. (Withdrawn) The process as described in Claim 40 wherein said ion exchange material is mixed with an additive.

42. (Previously Presented) The process as described in Claim 2 wherein said chlorous acid contacts a catalytic material in a moist environment for a time sufficient to form chlorine dioxide.

Serial No.: 09/919,918
Atty. Docket No.: P66732US0

43. (Previously Presented) The process as described in Claim 4 wherein said chlorous acid contacts a catalytic material in a moist environment for a time sufficient to form chlorine dioxide.

44. (New) The process as described in claim 10, wherein said moist environment is an aqueous solution of said chlorite salt precursor.

45. (New) The process as described in claim 10, wherein said catalytic material is selected from the group consisting of platinum, palladium, magnesium dioxide, carbon and ion exchange material.

46. (New) The process as described in claim 10, wherein said catalytic material is deposited on a suitable substrate to aid catalysis of said chlorous acid to said chlorine dioxide.

47. (New) The process as described in claim 44, wherein said aqueous solution has a pH in the range of about 1.9 to about 2.9.

Serial No.: 09/919,918
Atty. Docket No.: P66732US0

48. (New) The process as described in claim 10, wherein said cation exchange material is a strong acid cation exchange material.

49. (New) The process as described in claim 10, wherein said cation exchange material is selected from the group consisting of weak acid cation resins and powders, strong acid cation resins and powders, and cation selected membranes, or any combination of the foregoing.

50. (New) The process as described in claim 44, wherein said aqueous solution containing said chlorous acid and chlorine dioxide is used for disinfection.

51. (New) The process as described in claim 2 wherein said chlorous acid is essentially pure.